Sample Results Report - BP02-06 - REF-Male-2

Coffalyser digitalMLPA

General Information

Software information	Executed	Program version
Configuration	n/a	2022-10-20 12:34
Data conversion	2023-04-18 14:48	2021-10-19 09:58
Fragment analysis	2023-04-18 14:49	2021-10-19 09:58
Comparative analysis	2023-04-18 14:49	2021-10-19 09:58
Extended analysis	n/a	n/a
Reporting	2023-04-18 14:50	2021-10-19 09:58

Sample	
Sample name (type)	**BP02-06 - REF-Male-2 (Reference, Pooled DNA source)**
Barcode - well (lot)	BP02-06 - F01 (03-008-yymmdd)
SNP code	n/a
Gender	Male
Estimated DNA quantity	21 ng
Sample track probes	(none)

Experiment settings	
Experiment name (type)	Demoset D001-C1 (digitalMLPA)
Product name	D001-C1-1221 [default sheet]
Product detection	Identity detected
Digital signatures	All signatures valid
Probe catalogue	Default, Version 2022-10-20 12:34
Source files	D:\Demosets\D001-C1\Demoset_D001-C1 final.fastq

Analysis details	
Normalisation method	Individual reference probe normalisation [default]
Coffa file location	C:\D001 Demoset\20230418_143831\Demoset D001-C1\BP02-06 - REF-Male-2.Coffa
Coffa file id	8179df24-1256-4daf-bce3-95c65ac60374
Reference samples	REF-Male-1, REF-Male-2, REF-Male-3, REF-Male-4, REF-Male-5

Reads	Items	Reads
Recognised	723	1.806.011
Unrecognised	n/a	44.387
Median total reads	n/a	2.700
Median distinct reads	n/a	1.653

Probes	Expected	Detected	Unexpected
Test probes	579	579	0
Reference probes	290	290	0
Y-control probes	3	3	n/a
Mutation probes	0-5	0	n/a

Quality Details

Quality Checks: Passed

Quality		
Category	**Description**	**Classification**
Reaction analysis	Read depth	Ok
	Sequence quality	Ok
	Unrecognised reads	Ok
	Sample DNA denaturation	Ok
	Hybridisation Tm	Ok
	Hybridisation completeness	Ok
	Ligation start temperature	Ok
	Ligase activity	Ok
	Ligase inactivation	Ok
	Polymerase activity	Ok
Comparative analysis	Sample DNA denaturation	Ok
	Sample DNA depurination	Ok
	Sample DNA fragment length	Ok
	Hybridisation Tm	Ok
	Hybridisation completeness	Ok
	Ligase activity	Ok
	Polymerase activity	Ok
	Reference probe quality	Ok
	Reference sample quality	Ok

RESEARCH ONLY

Coffalyser digitalMLPA

Result Summary

Note: Please refer to the 'Probe Information File' for additional information that may be crucial for correct result interpretation.

Note: The aberrant region graph and table were not generated, as no deviating regions were detected in this sample.

Chart(s)



Mutation-specific probe(s)

Gene	Mutation	Probe	Mutation status	Additional information
MSH2	10MBinv	S010444	Absent	MSH2 10 Mb inversion (PMID24114314); This probe consists of three oligos and has two ligation sites.
MSH2	10MBinv	S010443	Absent	MSH2 10 Mb inversion (PMID24114314); This probe consists of three oligos and has two ligation sites.
MITF	952G>A	S010555	Absent	Mutation also known as p.E318K (rs149617956).
PMS2	SVA-ins	S010670	Absent	PMS2 SVA element insertion (PMID22461402).
CHEK2	1100delC	S010117	Absent	Mutation also known as rs555607708; This probe consists of three oligos and has two ligation sites.

	Analysis performed	Final approval
Quality Checks: Passed	Date: Signature:	Date: Signature:

SEARCH USE ONLY